



**FIG - 1**



**FIG - 2**



**FIG. 3**

FIG. 9 is a perspective view of the device 10, showing the top surface 22, the bottom surface 24, and the side surface 30. The device 10 is a rectangular block with a top surface 22, a bottom surface 24, and a side surface 30. The top surface 22 is divided into four sections by three vertical dashed lines, labeled 40, 42, and 44. The bottom surface 24 is also divided into four sections by three vertical dashed lines, labeled 40, 42, and 44. The side surface 30 is divided into four sections by three vertical dashed lines, labeled 40, 42, and 44.




FIG - 9






FIG - 4

FIG - 5




AA X 7.8740  
Y1 Y 1.5560  
Z1 Z 2.6830  
Y2 Y 1.7450  
Z2 Z 2.6830

FIG - 6




BB X 0  
Y1 Y 1.6900  
Z1 Z 2.6250  
Y2 Y 1.8790  
Z2 Z 2.6250

FIG - 7



CC X 7.8740  
Y1 Y 1.8250  
Z1 Z 2.5560  
Y2 Y 2.0130  
Z2 Z 2.5560

FIG - 8



RE X 15.7480  
Y1 Y -1.9594  
Z1 Z 2.4830  
Y2 Y -2.1476  
Z2 Z 2.4830